

Author Index of Volume 150

- Baluta, Gh., L9
Bamberger, M., 133
Barb, A., L9
Bhattacharya, D. K., 51
Biner, S. B., 213
Bozack, M. J., 255
Brezina, J., L5
Buchar, J., L5
- Cabanillas, E. D., 113
Cantalejos, N. A., 113
Chang, S. C., L11
Chawla, K. K., 161
Chinadurai, R., 43
Chiu, C.-C., 139
Cui, P., 281
- Davis, P. R., 255
Draper, S. L., 7
Dudgeon, H. D., 195
- Ferber, M. K., 161
Fernando, J., 161
Fleischmann, P. G., L1
Froes, F. H., 117
- Gaydos, D. J., 7
Ghonem, H., 151
Giurgiu, C., L9
Goldberg, A., 187
Gonser, U., 271
- Haessner, F., 101
Hamilton, D. L., 1
Horng, C. F., 289
Hyun, J. S., 249
- Jacobson, D. L., 67
Jayakumar, T., 51
Jose-Yacaman, M., 87
- Kagawa, Y., L1
Kao, P. W., 171
- Ke, T. S., 281
Khosrovabadi, P. B., 263
Kim, J. S., 249
Kishi, T., L1
Kodaira, T., 231
Kolster, B. H., 263
Krejci, J., L5
Kupperman, D. S., 59
- Lara, A., 87
Lavernia, E. J., 21
Lazar, D. P., L9
Lewandowski, J. J., 179
Li, S., 209
Lin, S. J., 289
Linderhövius, J. H., 263
Liu, C. D., 171
Liu, K. S., 289
Luo, A., 67
- Mageed, A. M. A., 43
Maier, C., 271
Majumdar, S., 59
Malakondaiah, G., 221
Manoharan, M., 179
Mao, X., 231
Markworth, A. J., 37
Martin, J. W., 195
Matthys, E. F., 237
Mercader, R. C., 113
Mishra, N. S., 75
Mohamed, F. A., 21
Morariu, M., L9
Mueller, B. A., 123
- Nathau, M. U., 7
Nicolaus, M. M., 101
Noebe, R. D., 7
- Pandey, R. K., 43
Park, K. T., 21
Pavel, E., L9
- Perepezko, J. H., 123
Pilling, J., 1
Prabhakar, O., 51
Prasad, N. E., 221
Pyun, S. I., 249
- Raj, B., 51
Ranganathan, S., 75
Rao, P. R., 221
Reyes-Gasga, J., 87
Ridley, N., 1
Riveros, H., 87
Rodriguez, P., 51
Ruano, O. A., 187
- Saigal, A., 59
Salehi, M. T., 1
Schaaf, P., 271
Schneeweiss, O., L5
Shafirstien, G., 133
Sherby, O. D., 187
Sheu, T. S., L11
Shin, K. S., 67
Sinning, H.-R., 101
Spitzig, W. A., 213
Sun, L., 209
Sundaresan, R., 117
Suryanarayana, C., 117
- Takahashi, H., 231
Tanner, L. E., 123
Terminiello, L., 113
- Vaidya, R. U., 161
Versaci, R., 113
- Wang, Z., 209
Wilde, P. D., 237
- Zang, Q., 209
Zhang, N., 263
Zheng, D., 151

Subject Index of Volume 150

- Acoustic emission**
influence of coherent γ' on acoustic emission generated during tensile deformation in Nimonic alloy PE16, 51
- Alloys**
anelastic relaxation peak associated with the presence of incoherent θ phase in Al-4wt.%Cu alloy, 281
characterization of the decagonal quasi-crystalline phase of the $\text{Al}_{62}\text{Co}_{20}\text{Cu}_{15}\text{Si}_3$ alloy by TEM, 87
depth of intergranular oxygen diffusion during environment-dependent fatigue crack growth in alloy 718, 151
effects of thorium particles on the high temperature tensile properties of a W-26wt.%Re alloy, 67
electron microscopy and diffraction of ordering in a Ni-25wt.%Mo alloy, 75
influence of coherent γ' on acoustic emission generated during tensile deformation in Nimonic alloy PE16, 51
near-threshold fatigue crack growth at room and elevated temperature in the Al-Li alloy 8090, 195
role of passivating oxide film in the corrosive wear of Al-7%Si alloy, 249
room temperature flow and fracture of Fe-40at.%Al alloys, 7
strength differential in Al-Li alloy 8090, 221
the production of high purity metal alloys by surface segregation, 255
TiNi shape memory alloys prepared by normal sintering, 263
TiAl formation by mechanical alloying, 117
- Aluminium**
anelastic relaxation peak associated with the presence of incoherent θ phase in Al-4wt.%Cu alloy, 281
characterization of the decagonal quasi-crystalline phase of $\text{Al}_{62}\text{Co}_{20}\text{Cu}_{15}\text{Si}_3$ alloy by TEM, 87
creep behavior of discontinuous SiC-Al composites, 21
deformation and failure process of and aluminium matrix composite reinforced with short carbon fibres, L1
formation of MgAl_2O_4 in the Al_2O_3 -(Al-4wt.%Mg) composites, 289
isostatic diffusion bonding of superplastic Ti-6Al-4V, 1
laser-beam-material coupling and its influence on the laser-induced formation of crystalline α - Al_2O_3 on an amorphous Al_2O_3 substrate, 133
microstructure development in undercooled Al-Be powders, 123
near-threshold fatigue crack growth at room and elevated temperature in the Al-Li alloy 8090, 195
role of passivating oxide film in the corrosive wear of Al-7%Si alloy, 249
room temperature flow and fracture of Fe-40at.%Al alloys, 7
strength differential in Al-Li alloy 8090, 221
the determination of Al-Li crystal orientation by indentation, L11
TiAl formation by mechanical alloying, 117
- Aluminum**
effect of reinforcement size and matrix microstructure on the fracture properties of an aluminum metal matrix composite, 179
- Anelastic relaxation peaks**
anelastic relaxation peak associated with the presence of incoherent θ phase in Al-4wt.%Cu alloy, 281
- Austenite**
Mössbauer studies of strain-induced transformation of retained austenite in dual-phase steels, 113
- Bainite**
tensile properties of a 0.34C-3Ni-Cr-Mo-V steel with mixed lower-bainite-martensite structures, 171
- Beryllium**
microstructure development in undercooled Al-Be powders, 123
- Carbon**
creep behavior of discontinuous SiC-Al composites, 21
deformation and failure process of and aluminium matrix composite reinforced with short carbon fibres, L1
the invar property of the metallic inclusions in synthetic diamond crystals grown in the Fe-Ni-C system, L9
- Ceramics**
residual stresses in ceramic coatings as determined from the curvature of a coated strip, 139
- Charge impact**
phase analysis of the surface of the perforation resulting from copper shaped charge impact on a steel target, L5
- Chromium**
supersmall punch test to estimate fracture toughness J_{Ic} and its application to radiation embrittlement of 2.25Cr-1Mo steel, 231
tensile properties of a 0.34C-3Ni-Cr-Mo-V steel with mixed lower-bainite-martensite structures, 171
- Coated strips**
residual stresses in ceramic coatings as determined from the curvature of a coated strip, 139
- Cobalt**
characterization of the decagonal quasi-crystalline phase of the $\text{Al}_{62}\text{Co}_{20}\text{Cu}_{15}\text{Si}_3$ alloy by TEM, 87
crystallization behaviour and generation of a nanocrystalline state from amorphous $\text{Co}_{33}\text{Zr}_{67}$, 101
- Composites**
creep behavior of discontinuous SiC-Al composites, 21
deformation and failure process of and aluminium matrix composite reinforced with short carbon fibres, L1
effect of fiber coating on the mechanical properties of a Nextel-480-fiber-reinforced glass matrix composite, 161
effect of reinforcement size and matrix microstructure on the fracture properties of an aluminum metal matrix composite, 179
formation of MgAl_2O_4 in the Al_2O_3 -(Al-4wt.%Mg) composites, 289
residual strains in titanium matrix high-temperature composites, 59
- Copper**
anelastic relaxation peak associated with the presence of incoherent θ phase in Al-4wt.%Cu alloy, 281
characterization of the decagonal quasi-crystalline phase of the $\text{Al}_{62}\text{Co}_{20}\text{Cu}_{15}\text{Si}_3$ alloy by TEM, 87
creep characteristics of wire drawn Cu-20%Nb, 213
phase analysis of the surface of the perforation resulting from copper shaped charge impact on a steel target, L5

- Corrosive wear**
role of passivating oxide film in the corrosive wear of Al-7%Si alloy, 249
- Crack**
a geometric model for fatigue crack closure induced by fracture surface roughness under mode I displacements, 209
depth of intergranular oxygen diffusion during environment-dependent fatigue crack growth in alloy 718, 151
near-threshold fatigue crack growth at room and elevated temperature in the Al-Li alloy 8090, 195
- Crack closure**
a geometric model for fatigue crack closure induced by fracture surface roughness under mode I displacements, 209
effect of measurement location and fatigue loading parameters on crack closure behaviour, 43
- Crack growth**
depth of intergranular oxygen diffusion during environment-dependent fatigue crack growth in alloy 718, 151
near-threshold fatigue crack growth at room and elevated temperature in the Al-Li alloy 8090, 195
- Creep**
creep behavior of discontinuous SiC-Al composites, 21
creep characteristics of wire drawn Cu-20%Nb, 213
- Crystallisation**
crystallization behaviour and generation of a nanocrystalline state from amorphous $\text{Co}_{33}\text{Zr}_{67}$, 101
- Crystals**
the invar property of the metallic inclusions in synthetic diamond crystals grown in the Fe-Ni-C system, L9
the determination of Al-Li crystal orientation by indentation, L11
- Deformation**
deformation and failure process of and aluminium matrix composite reinforced with short carbon fibres, L1
- Diamond**
the invar property of the metallic inclusions in synthetic diamond crystals grown in the Fe-Ni-C system, L9
- Diffraction**
electron microscopy and diffraction of ordering in a Ni-25wt.%Mo alloy, 75
- Diffusion**
isostatic diffusion bonding of superplastic Ti-6Al-4V, 1
- Diffusion bonding**
isostatic diffusion bonding of superplastic Ti-6Al-4V, 1
- Electron microscopy**
electron microscopy and diffraction of ordering in a Ni-25wt.%Mo alloy, 75
- Erosion**
a stochastic model for the simultaneous occurrence of oxidation and erosion, 37
- Failure processes**
deformation and failure process of an aluminium matrix composite reinforced with short carbon fibres, L1
- Fatigue**
a geometric model for fatigue crack closure induced by fracture surface roughness under mode I displacements, 209
depth of intergranular oxygen diffusion during environment-dependent fatigue crack growth in alloy 718, 151
near-threshold fatigue crack growth at room and elevated temperature in the Al-Li alloy 8090, 195
effect of measurement location and fatigue loading parameters on crack closure behaviour, 43
- Fibre coatings**
effect of fiber coating on the mechanical properties of a Nextel-480-fiber-reinforced glass matrix composite, 161
- Fibres**
deformation and failure process of an aluminium matrix composite reinforced with short carbon fibres, L1
effect of fiber coating on the mechanical properties of a Nextel-480-fiber-reinforced glass matrix composite, 161
- Fracture**
a geometric model for fatigue crack closure induced by fracture surface roughness under mode I displacements, 209
effect of reinforcement size and matrix microstructure on the fracture properties on an aluminum metal matrix composites, 279
room temperature flow and fracture of Fe-40at.%Al alloys, 7
supersmall punch test to estimate fracture toughness J_{Ic} and its application to radiation embrittlement of 2.25Cr-1Mo steel, 231
- Fracture toughness**
supersmall punch test to estimate fracture toughness J_{Ic} and its application to radiation embrittlement of 2.25Cr-1Mo steel, 231
- Free surfaces**
experimental investigation of the planar flow casting process: development and free surface characteristics of the solidification puddle, 237
- Glass**
effect of fiber coating on the mechanical properties of a Nextel-480-fiber-reinforced glass matrix composite, 161
- Iron**
room temperature flow and fracture of Fe-40at.%Al alloys, 7
the invar property of the metallic inclusions in synthetic diamond crystals grown in the Fe-Ni-C system, L9
- Laser treatment**
calculation of the temperature profile for laser treatment of metallic samples, 271
- Laser beams**
laser-beam-material coupling and its influence on the laser-induced formation of crystalline $\alpha\text{-Al}_2\text{O}_3$ on an amorphous Al_2O_3 substrate, 133
- Lithium**
near-threshold fatigue crack growth at room and elevated temperature in the Al-Li alloy 8090, 195
strength differential in Al-Li alloy 8090, 221
the determination of Al-Li crystal orientation by indentation, L11
- Magnesium**
formation of MgAl_2O_4 in the Al_2O_3 -(Al-4wt.%Mg) composites, 289
- Manganese**
development of ultrafine microstructures and superplasticity in Hadfield manganese steels, 187
- Material coupling**
laser-beam-material coupling and its influence on the laser-induced formation of crystalline $\alpha\text{-Al}_2\text{O}_3$ on an amorphous Al_2O_3 substrate, 133
- Mechanical properties**
effect of fiber coating on the mechanical properties of a Nextel-480-fiber-reinforced glass matrix composite, 161

- Metal matrix composites**
effect of reinforcement size and matrix microstructure on the fracture properties of an aluminum metal matrix composite, 179
- Metallic inclusions**
the invar property of the metallic inclusions in synthetic diamond crystals grown in the Fe-Ni-C system, L9
- Metallics**
calculation of the temperature profile for laser treatment of metallic samples, 271
- Metals**
effect of reinforcement size and matrix microstructure on the fracture properties of an aluminum metal matrix composite, 179
the production of high purity metal alloys by surface segregation, 255
- Microstructure development**
microstructure development in undercooled Al-Be powders, 123
- Molybdenum**
electron microscopy and diffraction of ordering in a Ni-25wt.%Mo alloy, 75
supersmall punch test to estimate fracture toughness J_{Ic} and its application to radiation embrittlement of 2.25Cr-1Mo steel, 231
tensile properties of a 0.34C-3Ni-Cr-Mo-V steel with mixed lower-bainite-martensite structures, 171
- Mössbauer studies**
Mössbauer studies of strain-induced transformation of retained austenite in dual-phase steels, 113
- Nanocrystals**
crystallisation behaviour and generation of a nanocrystalline state from amorphous $Co_{33}Zr_{67}$, 101
- Nickel**
electron microscopy and diffraction of ordering in a Ni-25wt.%Mo alloy, 75
tensile properties of a 0.34C-3Ni-Cr-Mo-V steel with mixed lower-bainite-martensite structures, 171
the invar property of the metallic inclusions in synthetic diamond crystals grown in the Fe-Ni-C system, L9
TiNi shape memory alloys prepared by normal sintering, 263
- Niobium**
creep characteristics of wire drawn Cu-20%Nb, 213
- Oxidation**
a stochastic model for the simultaneous occurrence of oxidation and erosion, 37
- Oxide films**
role of passivating oxide film in the corrosive wear of Al-7%Si alloy, 249
- Oxygen**
depth of intergranular oxygen diffusion during environment-dependent fatigue crack growth in alloy 718, F51
formation of $MgAl_2O_4$ in the Al_2O_3 -(Al-4wt.%Mg) composites, 289
laser-beam-material coupling and its influence on the laser-induced formation of crystalline $\alpha-Al_2O_3$ on an amorphous Al_2O_3 substrate, 133
- Phase analysis**
phase analysis of the surface of the perforation resulting from copper shaped change impact on a steel target, L5
- Planar flow casting**
experimental investigation of the planar flow casting process: development and free surface characteristics of the solidification puddle, 237
- Punch test**
supersmall punch test to estimate fracture toughness J_{Ic} and its application to radiation embrittlement of 2.25Cr-1Mo steel, 231
- Radiation**
supersmall punch test to estimate fracture toughness J_{Ic} and its application to radiation embrittlement of 2.25Cr-1Mo steel, 231
- Residual strain**
residual strains in titanium matrix high-temperature composites, 59
- Residual stresses**
residual stresses in ceramic coatings as determined from the curvature of a coated strip, 139
- Rhenium**
effects of thoria particles on the high temperature tensile properties of a W-26wt.%Re alloy, 67
- Shape memory alloys**
TiNi shape memory alloys prepared by normal sintering, 263
- Silicon**
characterization of the decagonal quasi-crystalline phase of the $Al_{62}O_{20}Cu_{15}Si_3$ alloy by TEM, 87
creep behavior of discontinuous SiC-Al composites, 21
role of passivating oxide film in the corrosive wear of Al-7%Si alloy, 249
- Sintering**
TiNi shape memory alloys prepared by normal sintering, 263
- Solidification**
experimental investigation of the planar flow casting process: development and free surface characteristics of the solidification puddle, 237
- Steels**
development of ultrafine microstructures and superplasticity in Hadfield manganese steels, 187
Mössbauer studies of strain-induced transformation of retained austenite in dual-phase steels, 113
phase analysis of the surface of the perforation resulting from copper shaped change impact on a steel target, L5
tensile properties of a 0.34C-3Ni-Cr-Mo-V steel with mixed lower-bainite-martensite structures, 171
- Strain-induced transformation**
Mössbauer studies of strain-induced transformation of retained austenite in dual-phase steels, 113
- Superplasticity**
development of ultrafine microstructures and superplasticity in Hadfield manganese steels, 187
- Superplastics**
isostatic diffusion bonding of superplastic Ti-6Al-4V, 1
- Surface perforation**
phase analysis of the surface of the perforation resulting from copper shaped change impact on a steel target, L5
- Surface roughness**
a geometric model for fatigue crack closure induced by fracture surface roughness under mode I displacements, 209
- Surface segregation**
the production of high purity metal alloys by surface segregation, 255

Temperature profiles

calculation of the temperature profile for laser treatment of metallic samples, 271

Tensile deformation

influence of coherent γ on acoustic emission generated during tensile deformation in Nimonic alloy PE16, 51

Tensile properties

effects of thoria particles on the high temperature tensile properties of a W-26wt.%Re alloy, 67

Thoria particles

effects of thoria particles on the high temperature tensile properties of a W-26wt.%Re alloy, 67

Titanium

isostatic diffusion bonding of superplastic Ti-6Al-4V, 1

TiNi shape memory alloys prepared by normal sintering, 263

residual strains in titanium matrix high-temperature composites, 59

TiAl formation by mechanical alloying, 117

Transmission electron microscopy

characterization of the decagonal quasi-crystalline phase of the $\text{Al}_{62}\text{Co}_{20}\text{Cu}_{15}\text{Si}_3$ alloy by TEM, 87

Tungsten

effects of thoria particles on the high temperature tensile properties of a W-26wt.%Re alloy, 67

Vanadium

isostatic diffusion bonding of superplastic Ti-6Al-4V, 1

tensile properties of a 0.34C-3Ni-Cr-Mo-V steel with mixed lower-bainite-martensite structures, 171

Zirconium

crystallization behaviour and generation of a nanocrystalline state from amorphous $\text{Co}_{33}\text{Zr}_{67}$, 101

